

Ecostat S

Ecostat S thermostatic mixer 37 l/ min for concealed installation

Surfaces: **chrome** Article Number: **15755000**



Description

product features

- thermostat cartridge
- safety lock at 40° C
- temperature limitation adjustable
- flow rate: 37.9 l/min
- scope of supply: handle, sleeve, mixing unit, escutcheon

Mandatory Accessoires

- Basic set iBox universal (#01800XXX)
- iBox universal Basic with pre-mounted angle connection (#01810XXX)


Optional Accessoires

- Extension element Ø 150 mm (#13597XXX)
- iBox universal basic set extension 25 mm (#13595XXX)

Product image



Scale drawing




Ecostat S

Ecostat S thermostatic mixer 37 l/ min for concealed installation

Surfaces: **chrome** Article Number: **15755000**



Flowchart



Ecostat S


Ecostat S thermostatic mixer 37 l/ min for concealed installation

Surfaces: **chrome** Article Number: **15755000**



Exploded Drawing

Year of production: >05/14



Ecostat S

Ecostat S thermostatic mixer 37 l/ min for concealed installation

Surfaces: **chrome** Article Number: **15755000**



Spare part list

Year of production: >05/14

Pos.	Description	Article Number	PC	PU
1	handle for thermostat	92215000	11	1
2	handle fixing set	95843000	3	1
3	escutcheon Ø 150 mm	92275000	12	1
4	sleeve	92216000	8	1
5	O-ring 44x4	98471000	7	1
6	holder for escutcheon	98793000	9	1
7	set of fixing screws	96454000	3	1
8	nut	98913000	6	1
9	thermostat cartridge	98282000	14	1
10	O-ring 25x2,5	92146000	1	1
11	O-ring 26x1,5	98390000	1	1
12	O-ring 20x1,5	98197000	1	1
13	screw M5 x 20	96525000	3	1
14	O-ring 16x2	98133000	1	1
15	set of non return valves DW 15	97350000	6	1
16	extension 25 mm	13595000	0	1
17	set of fixing screws	97747000	1	1
18	extension 22 mm (Ø 150 mm)	13597000	0	1
19	compensation set 1°	95521000	16	1
a	concealed item	01800180	0	1