

	<b>SCHEDA TECNICA</b> TECHNICAL SHEET	Date: 06/03/2018	Rev 0

<b>Codice / Code:</b>  <b>Z00107 + Z00002</b>	Parti incasso miscelatore termostatico deviatore 5 Vie da 1/2"  Concealed parts thermostatic mixer 5 Ways 1/2" diverter
---	---




Foto / image   <p style="text-align: center;">Z00107                      Z00002</p>	Disegni / drawings  
---	--

Grafico di portata / Flow rate diagram																											
<table border="1"> <thead> <tr> <th></th> <th>1 uscita</th> </tr> </thead> <tbody> <tr><td>0</td><td>0,0</td></tr> <tr><td>0,5</td><td>9,9</td></tr> <tr><td>1</td><td>14,2</td></tr> <tr><td>1,5</td><td>17,4</td></tr> <tr><td>2</td><td>20,1</td></tr> <tr><td>2,5</td><td>22,1</td></tr> <tr><td>3</td><td>24,4</td></tr> <tr><td>3,5</td><td>26,2</td></tr> <tr><td>4</td><td>27,9</td></tr> <tr><td>4,5</td><td>29,7</td></tr> <tr><td>5</td><td>31,3</td></tr> <tr> <td>pressione <b>bar</b></td> <td>portata <b>L/min</b></td> </tr> </tbody> </table>		1 uscita	0	0,0	0,5	9,9	1	14,2	1,5	17,4	2	20,1	2,5	22,1	3	24,4	3,5	26,2	4	27,9	4,5	29,7	5	31,3	pressione <b>bar</b>	portata <b>L/min</b>	
	1 uscita																										
0	0,0																										
0,5	9,9																										
1	14,2																										
1,5	17,4																										
2	20,1																										
2,5	22,1																										
3	24,4																										
3,5	26,2																										
4	27,9																										
4,5	29,7																										
5	31,3																										
pressione <b>bar</b>	portata <b>L/min</b>																										

<b>MATERIALI / materials</b>  OTTONE/ZAMA - BRASS/ZAMA
--

<b>CARATTERISTICHE IDRAULICHE / hydraulic features</b>					
	pressione pressure	portata flow rate	temperatura temperature	<i>solo per miscelatori termostatici</i> <i>only for thermostatic mixers</i>	
min	<b>0,5bar</b>	--	--	Blocco di sicurezza safety lock	<b>38°C</b>
max	<b>5bar</b>	--	--	Temperatura acqua fredda cold water temperature	<b>≤ 25°C</b>
consigliata recommended	<b>2-3 bar</b>	--	--	Temperatura acqua calda hot water temperature	<b>≥ 55°C ÷ ≤ 65°C</b>

<b>CERTIFICAZIONI / CERTIFICATIONS</b>  <b>CONFORMITA' / CONFORMITY</b> UNI EN 1111
--